

Mitsubishi Electric Variable speed drives deliver big energy savings for Irish mushroom producer

PRESS RELEASE – 11/11/16

When one of the largest mushroom producers in Ireland, Codd Mushrooms, looked at how to save energy within its factory chilled water system, and at the same time boost reliability, it turned to Mitsubishi Electric and its systems integrator partner MPAC for a solution. The resulting PLC based control system using Mitsubishi Electric variable speed drives to control the various pumps and systems, has now delivered a saving of over 5400kWh in one week.

The system therefore has the potential to deliver up to €40,000 per year in savings depending on seasonal variations.

Based in Tullow, Co. Carlow in Ireland, and owned and run by the Codd family, Codd Mushrooms is Ireland's most progressive mushroom farmer, with a firm focus on quality and sustainability. The company was started in 1989 and has developed into one of the largest seller of mushrooms to the Irish marketplace.

The company strives to supply the finest quality mushrooms, with a production and packing facility that is regarded as one of the most modern in Europe, and a vacuum cooling system that takes products from a field temperature of 20°C down to 3°C in just 20 minutes. This important cooling process ensures an extra two days of shelf life on all of Codd Mushroom's products.

Even though the company embraces technology, it also has a commitment to sustainability, and strives to be the most environmentally friendly mushroom farm in the world. This has seen the company take

advantage of renewable energy generation sources, but it is always looking at where further energy savings could be made.

At the same time, as the company has grown and built new production facilities, it has maintained a clear focus on the benefits of automation, as director Raymond Codd explains: “Through progressive automation, we have been able to advance our production as the business has grown.”

Energy savings potential

In line with this philosophy, Codd Mushrooms was keen to investigate whether energy savings could be made in the factory chilled water system, and whether reliability could be increased. The chilled water system addresses the different requirements of the various production areas. These production areas all work independently, and need varying amounts of heating or cooling depending on the environmental conditions and the point in the production cycle.

Water is cooled within an industrial chiller and then held at 5°C in an insulated buffer tank. In operation, chilled water is pumped from this buffer tank through the factory, and as the production areas take that chilled water through their heat exchangers, it is returned into the return-line warmer, where it mixes with water from other rooms as well as with water which was not used at all. The water is then returned to the buffer tank considerably warmer than when it left. The returned water mixes with the cold water in the buffer tank and warms it up, so the chiller increases its cooling capacity to bring the temperature back down to 5°C.

To investigate the possibilities for energy savings in the system, Codd Mushrooms called in local Mitsubishi Electric system integrator MPAC. Director Matt Pender says: “Because the system didn’t have any way of knowing what the demand would be, it was always working at full capacity. As such, it was only ever working efficiently when demand was

equal to 100% of capacity.”

“In reality, demand at the plant is dynamic. It rarely needs the full capacity, and even if it does it still won’t be a constant demand. The system demand varies hour by hour and day by day, with a number of different influencing factors, including the number of production rooms calling for cooling, the stage of the cycle the rooms are in, the external ambient temperature dictated by the local weather and the humidity.”

Even at zero demand, the system would continue pumping the maximum volume of water through the factory. Although it wouldn’t be drawn through the heat exchangers, once it left the insulated buffer tank it would still begin to warm up due to the ambient conditions. The result is that the water returning to the buffer tank would be warmer than when it left, and so, the chiller would have to work to cool water which has done no work for the factory whatsoever.

Thorough investigation

MPAC performed a thorough investigation of the chilled water system, looking at its inefficiencies and areas for possible improvement, and noting that it consumed 6115kWh of energy over a seven day monitoring period.

Although a theoretical maximum efficiency could be achieved by stopping the system when there was no demand, this would lose the ability to detect when demand increased again. “Furthermore,” says Pender, “if we didn’t keep some sort of buffer of chilled water, we would have a very ‘laggy’ system that was slow to respond when a given production area called for cooling.”

The solution developed by MPAC lay in between, with a calculated demand system. The various pumps in the system – including the

primary pump that circulates water between the industrial chiller and the insulated buffer tank, the secondary pump feeding the lower side of the factory, and the twinset pump feeding the upper side of the factory – were all put under the control of [Mitsubishi Electric FR-F740 variable speed drives](#). These were linked to a [Mitsubishi Electric MELSEC Q series PLC](#) via CC-Link.

“We have worked closely with Mitsubishi Electric for many years, and have absolute confidence in the performance and reliability of the products,” says Pender.

All process variables of pressure and temperature are measured by sensors, and all analogue and digital data is fed to the Q series PLC via Mitsubishi Electric STLite remote I/O unit. The PLC calculates the actual demand and calculates the appropriate response to meet the demand, sending control signals to the variable speed drives. By offering precise and appropriate control of the pumps, the volume of water moving through the primary and secondary circuits is always proportional to demand. Operator interaction and plant process [visualisation is accomplished through a Mitsubishi Electric GOT series HMI](#).

“With this system, the pumps are operating more efficiently, and the amount of warm water returning to the buffer is significantly reduced,” says Pender. “This has a knock-on effect to the primary circuit, and the chiller now has a lot less work to do.”

Centrifugal pumps operate on a cube law with regard to energy consumption, even small reductions in speed can quickly deliver significant energy savings. “We identified increases and decreases in demand at varying points of the day,” says Pender. “Some days the load is higher in the middle of the day, some days it is higher in the morning, and some days there are load peaks at night. The advantage of our

control solution is that it constantly measures the load and responds accordingly, keeping the system at its maximum possible operating point.”

Monitoring the energy consumption

Following the installation of the new control system, MPAC monitored demand over a second seven day period, and saw energy consumption reduced from 6115kWh using the original system running constantly at full speed, to just 664kWh using the new control method – a saving of 5451kWh.

Furthermore, a switch to variable speed drive control from direct-on-line starting has reduced electrical and mechanical stresses on the pump motors, and eliminated water hammer effects by removing the ‘shock’ of starting and stopping the pumps, and eased the operational stresses on the pumps. “Before the upgrade, we had begun to see some failures in various seals and bearings. But the upgrade should have a big impact on maintenance requirements and repair costs, while extending the life of the motor and the driven equipment,” says Pender.

Raymond Codd sums up the benefits of the new control system, saying: “We were delighted to work with MPAC, who have helped us to automate our processes using a range of industry leading solutions from Mitsubishi Electric. These have increased our productivity and overall efficiency.

“We look forward to working with them and using the innovative solutions of Mitsubishi Electric on future projects to ensure our control systems exceed the demands of future market requirements.”

Note:

¹ See how Mitsubishi Electric is able to respond to today’s automation demands:

<https://eu3a.mitsubishielectric.com/fa/en/solutions>

Image captions:



Picture 1: When Codd Mushrooms looked at how to save energy within its factory chilled water system, and at the same time boost reliability, it turned to Mitsubishi Electric and its systems integrator partner MPAC for a solution.

[Source:Thinkstock]



Picture 2: Based in Tullow, Co. Carlow in Ireland, and owned and run by the Codd family, Codd Mushrooms is Ireland's most progressive mushroom farmer, with a firm focus on quality and sustainability.

[Source:Thinkstock]



Picture 3: Codd Mushrooms strives to supply the finest quality mushrooms, with a production and packing facility that is regarded as one of the most modern in Europe.

[Source: Mitsubishi Electric Europe B.V.]



Picture 4: The PLC based control system using Mitsubishi Electric variable speed drives has delivered a saving of over 5400kWh in one week.

[Source: Mitsubishi Electric Europe B.V.]

The image(s) distributed with this press release are for Editorial use only and are subject to copyright. The image(s) may only be used to accompany the press release mentioned here, no other use is permitted.

Note to Editor: if you would like the text in another language please contact Philip Howe at DMA Europa – philip@dmaeuropa.com.

About Codd Mushrooms Ltd

The Codd Family have been growing the finest quality mushrooms from their farm located in Tullow, Co. Carlow since 1989.

Starting from 3 polythene tunnels, we now have progressed to a modern, purpose built mushroom production and packing facility.

We are the largest supplier of mushrooms into the Irish Market supplying the major retailers and food service sector.

We strive to be one of the most innovative and environmentally friendly mushroom production facilities in Europe.

The passion and dedication of our staff has been integral to the growth and success of our business, helping us ensure that we meet customer demands at all times.

For more information visit: <http://www.coddmushrooms.ie/>

About Matt Pender Automation & Controls Ltd.

Matt Pender Automation & Control Ltd are a Carlow based company with years of experience specialising in industrial automation, controls, and maintenance serving companies throughout the country. We provide specialist services including Thermal Imaging, Energy management systems, Power quality analysis, Portable appliance PAT testing, Automation and Control panel design and manufacture, Inline boring and Bore welding, Fabrication and repair service, Manufactured products, Environmental services including Pumping systems for water and waste water, Waste water treatment plant maintenance and repair, Rainwater harvesting systems and water filtration and disinfection systems.

For more information visit: <http://mpac.ie/>

About Mitsubishi Electric

With over 90 years of experience in providing reliable, high-quality products to both corporate clients and general consumers all over the world, Mitsubishi Electric Corporation is a recognized world leader in the manufacture, marketing and sales of electrical and electronic equipment used in information processing and communications, space development and satellite communications, consumer electronics, industrial technology, as well as in products for the energy sector, water and waste water, transportation and building equipment.

With around 129.000 employees the company recorded consolidated group sales of 36,0 billion US Dollar* in the fiscal year ended March 31, 2015.

Our sales offices, research & development centres and manufacturing plants are located in over 30 countries.

Mitsubishi Electric Europe B.V., Factory Automation European Business Group (FA-EBG) has its European headquarters in Ratingen near Dusseldorf, Germany. It is a part of Mitsubishi Electric Europe B.V., a wholly owned subsidiary of Mitsubishi Electric Corporation, Japan.

The role of FA-EBG is to manage sales, service and support across its network of local branches and distributors throughout the EMEA region.

**Exchange rate 120 Yen = 1 US Dollar, Stand 31.3.2015 (Source: Tokyo Foreign Exchange Market)*

Further Information:

eu3a.mitsubishielectric.com/fa

Follow us on:



youtube.com/user/MitsubishiFAEU



twitter.com/MitsubishiFAEU

Further Information:

Website: gb3a.mitsubishielectric.com/

Website: www.mitsubishielectric.com/

Email: automation@meuk.mee.com

Facebook: www.facebook.com/MEUKAutomation

Twitter: twitter.com/MEUKAutomation

YouTube: youtube.com/user/MitsubishiFAEU

Editor Contact

DMA Europa Ltd: Bob Dobson

Tel: +44 (0)1798 861677

Web: www.dmaeuropa.com

Email: bob@bobdobson.com

Reader Contact

Mitsubishi Electric Europe B.V. Automation Systems Division: Chris Evans, Marketing & Operations

Group Manager

Tel: +44 (0) 1707 288769

Fax: +44 (0) 1707 278695

Web: gb3a.mitsubishielectric.com/

Email: automation@meuk.mee.com